

THE SOLUTIONS
YOU NEED
THE STANDARDS
YOU EXPECT
















DEDICATED PEOPLE

5,300+ employees, hereof approx. 230 in AVK International A/S



GLOBAL ORGANISATION

100+ AVK companies worldwide



CONTINUOUS GROWTH

Net turnover EUR 1200 million (2023/24)

YOUR LONG-TERM PARTNER



AVK has been in the valve business for more than 50 years. Today AVK is a global leader within valves, hydrants and accessories for water supply, gas supply, wastewater treatment and fire protection.

The wide AVK range

AVK International A/S specialise in manufacturing gate valves, double eccentric butterfly valves, ball check valves, service connection valves, Supa MaxiTM couplings, extension spindles and selected types of hydrants and accessories.

We add numerous products to our range from the more than 20 other AVK factories in Europe as well as from AVK factories worldwide. These AVK factories specialise in other types of valves, hydrants and accessories, and jointly we are capable of offering a very wide selection of high quality products.

Global leadership and local commitment

Our geographical presence and product range is global, but our focus is local. Our customers are serviced by local sales organisations, in AVK's own sales companies or within our carefully selected distributors, who engage in their customers' needs. We are therefore able to offer tailormade solutions that match local specifications.

A beneficial partnership

We want to build and invest in a longterm partnership with our customers. To earn our role as a long-term partner, we strive to deliver value for money. We deliver error-free, durable and maintenance-free products that constitute the most cost-efficient solution for our partners in the long run.

EXPECT QUALITY IN EVERY STEP

State-of-the-art rubber technology

It is crucial that the rubber components inside valves, hydrants and accessories are of the highest quality to ensure a safe, watertight seal and trouble-free operation, even after many years without use. In our rubber factory, AVK GUMMI A/S, we develop and produce our own rubber components to make sure that they meet our uncompromising standards of excellence.

Our gate valve wedge design and other market-leading innovations provide the reliability you need to safeguard your network, your supply and the health and safety of your customers. This is especially important within water supply to avoid contamination and within gas supply to avoid even the tiniest leakage. AVK is the safe choice since we give high priority to quality and compliance.

For over 40 years, AVK GUMMI has made rubber components for the water, natural gas, healthcare and food industries. Our complete production control and one of the world's most advanced mixing plants enable us to offer rubber compounds of exceptional quality and uniformity, which are approved worldwide for drinking water, gas and many other applications.

Streamlined processes facilitate short lead times

In our factories, all our products undergo careful surface treatment and rigorous testing to ensure durability and to make certain they can withstand even the harshest environments. We are in full control of the supply chain from raw materials to finished product with meticulous attention to quality control, traceability and pressure testing of every single valve.

Based on LEAN principles, we have streamlined our work processes and flow of goods to ensure the fastest possible lead time. We store a large selection of AVK's product range in our 13,000 m² warehouse fitted with AGVs for automated internal transport, and our warehouse management system enables us to optimise our inventory and handling. Altogether, this allows us to offer great delivery service.





EXPECT US TO TAKE RESPONSIBILITY

Water is a scarce resource

Access to clean water is often taken for granted, just like the fresh air we breathe. But we are facing an invisible, yet crucial problem of water loss, also referred to as non-revenue water. Non-revenue water is water that has been produced and cleaned but which is lost somewhere in the water distribution system without being used or paid for. The levels of non-revenue water range from about 5% to as much as 80% in certain areas.

AVK offers a wide range of reliable and longlasting valves ensuring tightness many years after the valves have been installed, no matter if they have been used frequently or not at all. Our control valves contribute to efficient water supply management by maintaining a certain pressure, flow or level, regardless of changes in the supply network. Our digital monitoring solutions make it possible to save resources, reduce water loss and optimise network activities. Our air valves and check valves contribute to extending the life span of the water network by reducing pipe stress. And in case of pipe leakages, we offer a wide range of collars and clamps for efficient pipe repair.

Focus on sustainability

Our products are parts of vital infrastructure including water supply, wastewater treatment and energy supply that all together contribute to sustainable development, the health of people and a better environment. By delivering high-quality and long-lasting solutions we minimise environmental impacts caused by excavation, repair or replacement.

We have initiated the process of mapping, tracking and measuring the CO₂ emissions in our operations and per product. Minimum energy consumption is a core criterion of our design and production process and of our investments, and we have implemented the

ISO 50001 standard for Energy Management and the ISO 14001 standard for Environment Management. In addition, AVK suppliers must comply with our ethical standards to be a certified supplier of the AVK Group.

Supporting world-transforming goals

Our solutions contribute to the UN sustainable development goals by ensuring clean water and sanitation, by reducing water loss, electricity consumption and ${\rm CO_2}$ emissions, and by turning wastewater into affordable and clean energy. AVK has entered into partnerships with other leading Danish companies with the purpose of sharing knowledge within water technology and offering joint solutions for a more sustainable world







EXPECT LASTING INNOVATIONS



Inhouse R&D

In our Development Department in Denmark, ideas and suggestions for new products are gathered, and existing products are updated continuously.

We use FEA (Finite Element Analysis) to optimise the strength and geometry of our components and CFD (Computational Fluid Dynamics) analyses to validate different product designs prior to creating physical prototypes. This enables us to predict consequences in cases where it is impossible to create full scale tests on physical products.

We make our own test and production equipment, and in our flow lab, we conduct thorough prototype and life cycle tests prior to release for production. New product types are generally field tested in co-operation with end users before final launch.

Quality certifications

AVK's quality management system is certified according to ISO 9001 and the ISO 29001 standard for the oil and gas industry. Moreover, we are certified to the ISO 14001 standard for environmental management, the ISO 50001 standard for Energy Management, and the ISO 45001 standard for occupational health and safety.

EXPECT US TO EXCEED MARKET STANDARDS

Third party certification

Authorities such as DVGW (Germany), KIWA (Netherlands) and UL & FM (the US) offer certification of finished valves, and these are also recognized and accepted by other countries that do not have their own certification schemes.

By obtaining and maintaining the most widely accepted certification, we show our customers that AVK valves always meet the highest quality and safety standards.













Expect... AVK

In our business there are five cornerstones that must be in place in order to meet customer expectations: Quality, reliability, innovation, sustainability and customer service.

But we need to go further than that. We go further to exceed our customers' needs and expectations.

"Expect... AVK" means that our customers should rightfully expect us to exceed market standards. "Expect... AVK" means that we relentlessly strive for increased customer benefits!

To ensure that we keep pushing the boundaries of what the market can expect, we have formulated promises that we will strive to deliver in all our markets:

EXPECT A LONG-TERM PARTNERSHIP

EXPECT QUALITY IN EVERY STEP

EXPECT LASTING INNOVATIONS

EXPECT TOTAL SAVINGS

EXPECT SOLUTIONS, NOT JUST PRODUCTS

EXPECT GLOBAL LEADERSHIP AND LOCAL

COMMITMENT

EXPECT PROMPT RESPONSE

EXPECT IT TO BE EFFECTIVE AND EASY

See more on www.avkvalves.eu







Water supply

Gate valves and accessories, butterfly valves, check valves, regulating valves, air valves, hydrants, couplings, repair collars and clamps, fittings etc

Wastewater treatment

Gate valves, knife gate valves, ball and swing check valves, butterfly valves, air valves, penstocks, couplings, repair collars and clamps.

CORE BUSINESSES

Part of vital infrastructures

AVK has delivered gate valves to the water supply sector since the company was established in 1969, and today AVK is a global leader offering an extensive range of valves, hydrants and accessories. In the 70s we obtained our first DVGW approval for gas valves, and due to our high uniform quality and focus on safety and traceability, AVK is still a trusted supplier to the gas supply sector worldwide. For wastewater treatment we offer a very wide valve range according to all major standards as well as customized solutions. The AVK Group is among the largest manufacturers of fire hydrants worldwide and our range

includes UL/FM/VdS approved hydrants, gate and butterfly valves for fire protection.

AVK's products are securing:

- Clean drinking water without contamination or waste of water in the distribution network
- Efficient handling and cleaning of wastewater from households and industries
- Safe distribution of natural gas enabling a wide use of this eco-friendly energy source for heating, cooking and production
- Reliable fire equipment and water supply enabling firefighters to react fast and efficiently in dangerous situations





Gas supply

Gate valves and accessories, ball valves, butterfly valves, couplings and repair clamps.

Fire protection

Fire hydrants, monitors, gate valves, post indicators, butterfly valves, check valves and accessories.

PRODUCT FEATURES AND BENEFITS

Product range brochures

Brochures for each of our core businesses are available for download from our website. Here we explain the features and benefits of each main product group and give a detailed overview of AVK's range within water supply, wastewater treatment, gas supply and fire protection.

Find much more information at **www.avkvalves.eu**



FLANGED GATE VALVES FOR WATER



Series 06/30

Flanged gate valve Face-to-face DIN F4 DN40-1200 PN10/16 Ductile iron

Options:

- internal enamel
- duplex stem
- replaceable stem sealing



Series 06/52

Premium 100 gate valve Flanged Face-to-face DIN F4 DN40-600 PN10/16 Ductile iron External PUR coating



Series 06/35

Flanged gate valve with position indicator Face-to-face DIN F4 DN50-400 PN10/16 Ductile iron

Options:

• face-to-face DIN F5



Series 15/42

Flanged gate valve with ISO top flange for actuator Face-to-face DIN F4 DN40-400 PN10/16 Ductile iron

Options:

• face-to-face DIN F5



Series 02/60

Flanged gate valve Face-to-face DIN F5 DN40-500 PN10/16 Ductile iron

Options:

- internal enamel
- PN25
- duplex stem
- to GOST



Series 02/75

Flanged gate valve Face-to-face DIN F5 Replaceable stem sealing DN40-500 PN10/16 Ductile iron

Options:

• PN25



Series 02/52

Premium 100 gate valve Flanged Face-to-face DIN F5 DN40-500 PN10/16 Ductile iron External PUR coating



Series 02/20

Flanged gate valve Face-to-face BS DN50-400 PN10/16 Ductile iron



Series 55/30

Flanged gate valve DN450-500-600-800 Face-to-face DIN F5 PN10/16 Ductile iron Resilient seated Replaceable stem sealing

Options:

• DN80 By-pass



Series 54

Flanged gate valve DN700-800-900 Face-to-face BS PN10/16 Ductile iron Metal seated

Options:

• DN80 By-pass



Series 18/70

Combi-cross with 4 outlets DN100-300 PN10/16 Ductile iron

Options:

- with ball valve service outlets
- with blind flange on DN100 centre outlet
- with 3 outlets
- DN80 center outlet



Series 18/01

Combi-cross flexible design DN100-400 PN10/16 Ductile iron

- with ball valve service outlets
- with blind flange on centre outlet
- duplex stem



GATE VALVES WITH PE-ENDS, SPIGOT, COUPLINGS AND SOCKET ENDS FOR WATER



Series 36/80

Gate valve with PE ends DN65-500 PE100/SDR11

Od75-630 mm Ductile iron

Options:

- SafeTech ends
- duplex stem
- PE100/SDR17



Series 36/52

Premium 100 gate valve with PE ends DN65-400 PE100/SDR11

Od75-400 mm Ductile iron External PUR coating

Options:

- black/blue pipe ends up to 630 mm
- PE100/SDR17



Series 01/70

Series 38/80

with flange/PE end

Gate valve

DN50-200

Options:

• PE100/SDR17

PE100/SDR11 Ductile iron

Supa Plus[™] gate valve with tensile coupling ends for PE and uPVC pipes DN40-300 PN16 Ductile iron

Options:

duplex stem



• PE100/SDR17



Series 32/40

Gate valve with long spigot ends for cast iron pipes DN80-300 PN16 Ductile iron



 short spigot ends for D.I. pipes or AC pipes



Series 06/38

Gate valve with grooved ends DN50-300 PN16 Ductile iron



Series 12/51

Gate valve with flange/spigot end for cast iron pipes DN50-300 PN10/16 Ductile iron



Series 01/80

Gate valve with "Euro" socket ends for uPVC-pipes DN40-400 PN16 Ductile iron



• duplex stem



Series 33/00

Gate valve with socket ends for cast iron pipes DN80-300 PN16 Ductile iron With internal enamel

Options:

internal epoxy



Series 33/50

Gate valve with BLS® socket end/ BLS® spigot end for cast iron pipes DN80-300 PN16 Ductile iron



CHECK VALVES AND BUTTERFLY VALVES FOR WATER



Series 41/60

Swing check valve Resilient seated Free shaft DN50-300 PN10/16 Ductile iron

Options:

- · lever and weight
- · lever and spring
- · closed bushings
- prepared for limit switch



Series 41/36

Swing check valve Metal seated With lever and weight DN350-600 PN10/16 Ductile iron

Options:

· free shaft



Series 876

Nozzle check valve Single stem DN50-350 PN10/16 Ductile iron

Options:

• multi stem



Series 903

Silent check valve Metal seat PN10/16 Ductile iron

Options:

- PN25
- · stainless steel



Series 820/00

Butterfly valve Centric with loose liner Wafer type DN25-1000 PN10/16 Ductile iron

Options:

· various actuators



Series 820/10

Butterfly valve Centric with loose liner Lug type DN25-600 PN10/16 Ductile iron

Options:

· various actuators



Series 820/20

Butterfly valve Centric with loose liner U-section type DN150-1600 PN10/16 Ductile iron

Options:

· various actuators



Series 75

Butterfly valve Centric with fixed liner Wafer type DN40-1400 PN10/16 Ductile iron

Options:

- semi lug type
- full lug
- · various actuators



Series 75

Butterfly valve Centric with fixed liner Double flanged short DN50-2000 PN10/16 Ductile iron

Options:

- double flanged long
- various actuators



Series 756/100

Butterfly valve Double eccentric Double flanged Integral seat IP 67 gearbox DN150-2800 PN10/16 Ductile iron

Options:

- internal enamel
- · stainless steel seat
- IP 68 gearbox
- ISO-input gearbox • PN25 in DN150-1200



Series 756/102

Butterfly valve Double eccentric Double flanged Stainless steel seat ISO-input gearbox DN150-2800 PN10/16 Ductile iron

Options:

- · integral seat
- IP 67 gearbox
- IP 68 gearbox • PN25 in DN150-1200



Series 756/106

Butterfly valve Double eccentric Double flanged Welded stainless steel seat IP 68 gearbox DN150-1400 PN10/16 Ductile iron

Options:

• IP67 gearbox



CONTROL VALVES, NEEDLE VALVES, AIR VALVES AND FLOAT VALVES FOR WATER



Series 859 Control valve Pressure reducing DN50-600 PN10/16 Ductile iron/AISI 316



Series 859 Control valve Pressure sustaining DN50-600 PN10/16 Ductile iron/AISI 316



Series 859 Control valve Constant flow DN50-600 PN10/16 Ductile iron/AISI316



Series 872 Needle valve DN 80-1600 PN 10/16/25/40 Stainless steel DN80-150 Ductile iron from DN200

Options:

- various actuators and accessories
- up to PN100 and DN2000



Series 701/10 Automatic air valve

Threaded BSP ¾" or 1" DN20-25 PN16 Reinforced polyamide

Options:

- brass base
- ductile iron



Series 701/30 Air & vacuum valve Inlet flange DN50-300 PN16 Ductile iron



Series 701/40 Combination air valve DN20, 25 and 50 Threaded BSP ¾", 1" or 2"

or 2" PN16 Reinforced polyamide



Series 701/46

Combination air valve High flow Threaded BSP 2"/DN50-150 inlet flange PN16 Ductile iron



Series 701/50

Combination air valve Inlet flange DN50-300 PN16 Grey cast iron/reinforced polyamide

Options:

• ductile iron



Series 701/84

Underground air valve installation system DN50-100 PN16 Air valve box of PVC



Series 851/41

Combination air valve DN50-200 ABS float

Options:

stainless steel float



Options:

 lever and float of stainless steel



SERVICE CONNECTION VALVES FOR WATER



Series 03/00

Service connection valve with internal BSP thread DN25-50 PN16 Ductile iron

Options:

• internal enamel



Series 03/30

Service connection valve with tensile socket ends for PE pipes DN20-50 PN16 Ductile iron

Options:

 for side tapping with internal thread/external thread



Series 03/65

Service connection valve with tensile screw couplings for PE pipes DN25-50 PN16 Ductile iron

Options:

• tensile screw coupling for PE pipes/external thread



Series 03/90

Service connection valve with PRK couplings for PE pipes DN20-50 PN16 Ductile iron

Options:

internal enamel



Series 16/05

Service connection valve with tensile screw couplings for PE pipes DN25-50 PN16 Brass

Options:

- PRK couplings
- T-type bonnet



Series 36/8X

Service connection valve with PE ends DN25-50 PE100/PN10 Ductile iron

Options:

- PE100/PN16
- duplex stem



Series 36/5X

Premium 100 service connection valve with PE ends DN25-50 PE100/PN10



Options:

• PE100/PN16



Series 16/50

Service connection valve with tensile socket ends for PE pipes DN25-50 PN16 POM (Polyoxymethylene)

Options:

- external thread/tensile socket end
- T-type bonnet
- duplex stem



Series 16/59

Service connection valve with Pentomech™ couplings DN25-50 PN16 POM (Polyoxymethylene)

Options:

• duplex stem



Series 16/80

Service connection valve with PE ends DN25-50 PE100/PN16



Options:

- T-type bonnet
- duplex stem



Series 16/90

Service connection valve with PRK couplings DN25-50 PN16 POM (Polyoxymethylene)

Options:

- PRK coupling/external thread
- T-type bonnet
- duplex stem



Series 11/30

Service connection angle valve with external thread on inlet and tensile socket end for PE pipes on outlet DN25-50 PN16 Ductile iron

Ontions:

• internal thread on outlet



SUPA LOCKIM THREADLESS CONNECTION SYSTEM FOR WATER



Series 103/00

Service connection valve with Supa Lock™ spigot/ socket end DN32 PN16 Ductile iron

Options:

- Supa Lock™ spigot end/PRK coupling
- duplex stem



Series 103/31

Angle service connection valve with Supa Lock™ spigot/push-in socket end DN32 PN16 Ductile iron

Options:

- Supa Lock™ spigot/ socket end
- duplex stem



Series 343/81

Ball valve with Supa Lock $^{\!\mathsf{TM}}$ spigot end/BSP thread DN32, PN16 Brass

Options:

- Supa Lock™ spigot end/
- PRK coupling

 Supa Lock™ spigot end/ screw coupling
- · with T-type bonnet



Series 100/14

Tapping saddle for iron/steel pipes Ø 60-223 mm DN32 Ductile iron

Options:

• for PE/PVC pipes



Series 100/85

Tapping saddle with blade shut-off for iron/steel pipes Ø 50-360 mm DN32 Ductile iron/stainless steel

Options:

• for PE/PVC pipes



Series 107/74

Tapping head with blade shut-off **DN32** Ductile iron



Series 107/31

90° push-in fitting for PE pipes Ø 32-63 mm DN32 Ductile iron

Options:

- · straight push-in fitting for PE pipes
- 45° push-in fitting
- Supa Lock™ socket



Series 107/36

Fitting with PE pipe end Ø 32-40 mm DN32 Ductile iron



Series 106/01

Fitting with PRK coupling for PE pipes Ø 32-40 mm DN32 Ductile iron

Options:

double spigot fitting



Series 106/02

Fitting with screw coupling for PE pipes Ø 32-50 mm DN32 Brass

Options:

- PRK coupling
- sensor fitting



Series 106/02

Threaded connector For connection to drilling machines DN32 Brass

Options:

- ductile iron
- threaded transition connector



Series 109/10

Spacer for flanged connections DN80-400 DN32 Ductile iron

- 3-way socket fitting
- socket/tyton fittings
- blind flange



HYDRANTS FOR WATER



Series 84/05

Above ground fire hydrant Break-away design with additional ball shut-off Model P7 DN80/100 PN16 Ductile iron

Options:

• lateral flange



Series 84/72

Above ground fire hydrant Break-away design with additional ball shut-off Model P7 DN80/100 PN16 Stainless steel

Options:

• lateral flange



Series 84/45

Above ground fire hydrant Break-away design with additional ball shut-off Model P7 "NOSTALGIA" DN80 PN16 Ductile iron

Options:

- lateral flange
- · various coatings



Series 84/91

Above ground fire hydrant Breakable single shut-off Model N7 DN80/100 PN16 Stainless steel

Options:

- non breakable
- · double shut-off
- ductile iron



Series 84/93

Tunnel fire hydrant
Breakable double shut-off
Model N7
DN80
PN16
Stainless steel



Series 09/30

Above ground fire hydrant Screw down type B DN80 PN10 Ductile iron

Options:

- manual or automatic drainage
- aluminium body
- gate valve operated



Series 29/40

Underground fire hydrant with bayonet coupling DN100 PN16 Ductile iron

Options:

- 3" stortz oupling
- 3" NOR coupling
- 4" stortz coupling



Series 29/50

Underground fire hydrant with bayonet coupling With AVK extension spindle and riser pipe in stainless steel DN100 PN16 Ductile iron



Series 29/78

Underground fire hydrant Free flow Single shut-off DN80 PN16 750-1500 mm Ductile iron



Series 35/31

Underground fire hydrant Single shut-off DN80 PN16 750-1500 mm Ductile iron

Options:

- stainless steel seat
- backflow prevention



Series 35/8X

Underground fire hydrant Additional ball shut-off DN80 PN16 750-1500 mm Ductile iron Stainless steel seat



Series 35/72

Underground fire hydrant DN100-125 PN16 1000-3500 mm Ductile iron

Options

 drilling according to GOST



GATE VALVES, BUTTERFLY VALVES AND KNIFE GATE VALVES FOR WASTEWATER



Series 06/80

Flanged gate valve Face-to-face DIN F4 DN40-600 PN10/16 NBR wedge Ductile iron

Options:

- AISI 316 stem
- face-to-face DIN F5



Series 06/35

Flanged gate valve with position indicator Face-to-face DIN F4 DN50-400 PN10/16 EPDM wedge Ductile iron

Options:

- NBR wedge
- face-to-face DIN F5
- 0S&Y



Series 15/42

Flanged gate valve for electric actuator Face-to-face DIN F4 DN40-400 PN10/16 Ductile iron

Options:

- face-to-face DIN F5
- hydraulic/pneumatic actuator
- NBR wedge



Series 36/84

Gate valve with PE ends DN65-300 PE100/SDR11

Od75-315 mm NBR wedge Ductile iron



Series 715

Flanged gate valve with hydraulic actuator Face-to-face DIN F4 DN65-300 PN10/16 NBR wedge Ductile iron

Options:

 solenoid valve kit and proximity switches



Series 16/54

Service connection valve with tensile socket ends for PE pipes DN25-50 PN16 POM (Polyoxymethylene)

Options:

• ductile iron



Series 820/00

Butterfly valve Centric with loose liner Wafer type DN25-1000 PN10/16 Ductile iron

Options:

- for frequent operation
- various actuators



Series 820/10

Butterfly valve
Centric with loose liner
Lug type
DN25-600
PN10/16
Ductile iron

Options:

- for frequent operation
- U-section type
- various actuators



Series 75

Butterfly valve Centric with fixed liner Wafer type DN40-1400 PN10/16 Ductile iron

Options:

various actuators



Series 75

Butterfly valve Centric with fixed liner Semi lug type DN50-300 PN10/16 Ductile iron

Options:

- full lug type
- various actuators



Series 75

Butterfly valve
Centric with fixed liner
Double flanged short
DN50-2000
PN10/16
Ductile iron

Options:

- double flanged long
- various actuators



Series 702/20

Knife gate valve with handwheel and rising stem DN50-1200 PN10 Ductile iron

- handwheel and nonrising stem
- chainwheel
- electric or pneumatic actuator
- lever



CHECK VALVES, AIR VALVES AND PENSTOCKS FOR WASTEWATER



Series 41/61 Swing check valve Closed bushings Resilent seated DN50-300 PN10/16 Ductile iron



Series 41/60 Swing check valve Free shaft Resilent seated DN50-300 PN10/16 Ductile iron

Options:

- lever and weight
- lever and spring
- prepared for limit switch



Series 41/36

Swing check valve Metal seated Closed bushings DN350-600 PN10/16 Ductile iron

Options:

• free shaft



Series 53/35
Ball check valve
with flanged ends
DN50-600
PN10
Ductile iron



Series 53/42 Ball check valve with flanged ends DN80-150 PN10 Stainless steel AISI 316



Series 53/30

Ball check valve with internal thread DN32-50 PN10 Ductile iron

Options:

 stainless steel DN32-80



Series 701/33 Air & vacuum valve DN80-100 PN16 Steel



Series 701/76

Combination air valve DN50-200 PN16 Stainless steel

Options:

- steel
- large combination air valve



Series 701/75

Combination air valve DN50-200 PN10 Reinforced polyamide

Options:

• PN16



Series 701/79 Underground air valve system DN50-100 PN10 External box of polypropylene



Series 772/61

Wall penstock
Bi-directional up to and incl. 1200 x 1200 mm, in larger sizes bi- or unidirectional
With non-rising stem
Stainless steel
AISI 304
200 x 200 mm 2000 x 2000 mm

Options:

- · rising stem
- AISI 316



Serie 772/7172

Channel penstock Uni-directional up to and incl. 1000 x 1000 mm, bi-directional in larger sizes With non-rising stem Stainless steel AISI 304 200 x 200 mm -2000 x 2000 mm

- rising stem
- AISI 316



GATE VALVES, BALL VALVES AND BUTTERFLY VALVES FOR GAS



Series 36/90

Gate valve with PE ends DN65-400 PE100/PN10 SDR 11 Ductile iron



External epoxy coating

Options:

- PE100/PN10/4
- flange/PE end
- ISO top flange
- external PUR coating



Series 46/64

Gate valve with short spigot ends DN50-300 PN16 Cast steel GP240GH External epoxy coating

Option:

external PUR coating



Series 46/70

Gate valve with long spigot ends DN50-600 PN16 Cast steel GP240GH External PUR coating

Option:

- external epoxy coating
- ISO top flange



Series 46/80

Gate valve with long spigot ends and two purge points DN80-600 PN16 Cast steel GP240GH External PUR coating



Series 46/90

Gate valve with steel/PE spigot ends DN50-300 PN10

Cast steel GP240GH External epoxy coating

Options:

external PUR coating



Series 02/70

Flanged gate valve Face-to-face DIN F5 DN40-500 PN10/16 Ductile iron External epoxy coating

Options:

· position indicator



Series 06/70

Flanged gate valve Face-to-face DIN F4 DN40-600 PN10/16 Ductile iron External epoxy coating

Options:

position indicator



Series 15/78

Flanged gate valve with ISO top flange DN50-400 PN10/16 Ductile iron External PUR coating

Option:

external epoxy coating



Series 36/9X

Service connection valve with PE ends DN25-50

PE100/PN10 or 4 Ductile iron External epoxy coating

Options:

external PUR coating



Series 03/25

Service connection valve with internal thread DN25-50 PN4 Ductile iron External epoxy coating



Series 85/30

Ball valve
with spigot ends
DN25/Ø20 mm DN150/Ø180 mm
PN10
PE100

Options:

- lever
- support base



Series 75

Wafer butterfly valve, centric with fixed liner DN50-600 PN10/16 Ductile iron

- semi-lug
- full lug
- double flanged



HYDRANTS AND VALVES FOR FIRE PROTECTION



Series 27/JA

Dry barrel fire hydrant Modern style Bury depth 305-2438 mm 17.2 bar (250 PSI) Ductile iron UL/ULC listed, FM approved



- DN100-150 flanged
- DN100-150 PE end
- · monitor fire hydrant



Series 24/90

Wet barrel fire hydrant 13.7 bar (200 PSI) 2 x 2½" + 1 x 4/4½" outlets
Ductile iron
UL listed, FM approved



Series 06/35

Flanged gate valve with position indicator DN50-400 PN10/16 Ductile iron VdS approved (DN50-200 only)



Series 06/37

Grooved end gate valve with position indicator DN50-300 PN16 drilling Ductile iron VdS approved (DN50-200 only)

Option:

• ½" BSP drilled bosses



Series 45/59

Flanged gate valve with post indicator flange DN50-400 17.2 bar (250 PSI) Ductile iron UL/ULC listed, FM approved

Options:

• ANSI drilling class 150



Series 36/00

Gate valve with PE ends and post indicator flange DN80-300

SDR11/PE100 Ductile iron



Series 145/Series 45

Flanged gate valve with rising stem DN50-300 17.2 bar (250 PSI), UL/ULC listed, FM approved DN350-400 13.7 bar (200 PSI), UL/ULC listed 17.2 bar (250 PSI), FM approved Ductile iron

Options:

- with wrench nut
- ANSI drilling class 150



Series 55

Flanged gate valve with wrench nut DN450-600 13.7 bar (200 PSI), UL/ULC listed 17.2 bar (250 PSI), FM approved PN16 drilling Ductile iron

Ontions:

- post indicator flange
- rising stem



Series 75

Butterfly valve Centric with fixed liner Double flanged short DN50-300 PN10/16 Ductile iron FM approved

Options:

- wafer
- lug
- single flanged



Series 34/00

Post indicator, telescopic for DN100-600 post indicator gate valves Bury depth: 505-2210 mm Ductile iron UL/ULC listed, FM approved

Options:

other lengths on request



Series 34/80

Wall post indicator for DN100-400 post indicator gate valves Stem length: 250-1250 mm Ductile iron UL/ULC listed, FM approved



Series 5190/10

Swing check valve Spring loaded Grooved ends to AWWA C606 DN50-200 24.1 bar/350 PSI UL/ULC listed, FM approved

- shotgun type
- with flanges



SUPA ONETM, SUPA MAXITM, SUPA PLUSTM AND SUPA® COUPLINGS AND ADAPTORS



Series 651/00 Supa One™ universal straight coupling DN80-200 PN16 Ductile iron



Series 653/00 Supa One™ universal flange adaptor DN80-200 PN16 Ductile iron



Series 631/00 Supa Maxi™ universal tensile straight coupling DN50-800 PN16 Ductile iron

Options:

- step coupling
- for gas PN10



Series 633/00 Supa Maxi™ universal tensile flange adaptor DN40-800

DN40-800 PN10/16 Ductile iron

Options:

• for gas PN10



Series 634/00

Supa Maxi[™] universal tensile end cap DN50-400 PN16 Ductile iron

Options:

• for gas PN10



Series 635/00

Supa MaxiTM universal tensile transition coupling with factory mounted PE pipe DN50-300 PN10 or 16 Ductile iron



Series 621/10

Supa Plus[™] coupling Tensile for PE and uPVC pipes DN32-300 PN16 Ductile iron



Series 623/10

Supa Plus™ flange adaptor Tensile for PE and uPVC pipes DN40-300 PN10/16 Ductile iron



Series 624/10

Supa Plus™ end cap Tensile for PE and uPVC pipes DN40-300 PN16 Ductile iron



Series 601

Supa® universal straight coupling DN40-400 PN16 Ductile iron

Options:

• step coupling



Series 603

Supa® universal flange adaptor DN40-400 PN10/16 Ductile iron



Series 05/08

Support bush for PE pipes DN50-600 PN6.3, 10, 12.5 or 16 Stainless steel









COUPLINGS, DISMANTLING JOINTS AND TAPPING SADDLES



Series 05

Combi-flange for PE and PVC pipes Non-tensile (PVC) DN50-600 Tensile DN50-300 PN10/16 Ductile iron

Options:

- for ductile iron pipes
- for steel pipes (non-tensile)



Series 258

Fabricated dedicated straight coupling for AC, steel, cast iron or ductile iron pipes DN350-2000 PN8 to 25 Steel

Options:

- step coupling
- flange adaptor



Series 8004

Fabricated universal flange adaptor Steel DN400-2000 PN16

Options:

- straight coupling
- stainless steel



Series 745/01

Repico® grip coupling Universal and tensile for all metal pipes NBR or EPDM sealing DN15-400 Stainless steel AISI 316

Options:

• for medium pressure up to DN200



Series 745/20

Repico® slip coupling Universal and non-tensile for all pipes NBR or EPDM sealing DN15-600 Stainless steel AISI 316

Options:

• 2 locks up to DN1000



Series 265/91

Dismantling joint for all pipe material DN40-1200 PN10/16 Ductile iron GSK coating



Series 873

Dismantling joint for all pipe materials With centre flange DN40-2600 PN10/16/25 Ductile iron



Series 10/00

Tapping saddle for uPVC and PE pipes DN50-300 Ductile iron Lower part in stainless steel from DN250

Options:

 for cast iron, ductile iron and steel pipes



Series 730

Universal tapping saddle with blade shut-off for ductile iron, steel and other metal pipes DN50-300 Ductile iron/steel

Options:

without blade shut-off



Series 727/10

Tapping saddle with blade shut-off For PE and PVC pipes DN80-200 Ductile iron



Series 727/21

Tapping saddle SWIC for underpressure drilling With integrated cutter for PVC pipes 0d90-160 mm Ductile iron

Options

 with integrated cutter for PE and PVC pipes od50-295 mm



Series 6731

Flanged universal tapping saddle with blade shut-off for iron, steel, PE and PVC pipes Ductile iron

Options:

slim type



VALVE ACCESSORIES



Series 04

Fixed surface box Grey cast iron Distance ring/square for fixed surface box

Options:

· reversible design



Series 80

Surface box "Classic" Fixed height Body of PA+

Options:

- square or round
- · lid of cast iron or PA
- · for gate valves, service connection valves or underground hydrants



Series 80

Surface box "Classic" Height adjustable Body of PA+

Options:

- square or round
- · lid of cast iron or PA
- for gate valves, service connection valves or underground hydrants



Series 80

Surface box "Futura" Fixed height Body of PA+

Options:

- square or round
- lid of cast iron or PA
- for gate valves, service connection valves or underground hydrants



Series 04/007

Floating surface box for telescopic extension spindle Body of PE Flange and lid of ductile iron

Options:

- round black
- round blue epoxy
- square black
- square blue epoxy



Series 04/008

Floating surface box for telescopic extension spindle Ductile iron

Options:

- round or square surface plate
- round or square lid
- double surface box



Series 04

Extension spindle for service connection valves DN25-50

• telescopic or fixed length



Series 04

Extension spindle for gate valves DN40-600

Options:

- telescopic or fixed length
- telescopic for double eccentric butterfly valves



Series 04

Stem caps for gate valves and service connection valves DN25-600 Ductile iron



Series 08

Handwheel for gate valves DN50-600 Grey cast iron

Options:

• for double eccentric butterfly valves



Series 756/5

Adaptor for connecting gearside to extension rod, wall post indicator or post indicator DN200-1200 Ductile iron



Series 910

Y-strainer DN50-300 Ductile iron









REPAIR COLLARS AND CLAMPS, FITTINGS AND FOUNTAIN POSTS



Series 8001

Hydro Stop universal socket encapsulation collar Steel EPDM rubber DN250-2000

Options:

- pipe encapsulation collar
- · customised design and larger DNs



Series 8002

Hydro Fast dedicated socket encapsulation collar Steel EPDM rubber DN300-2000

Options:

- pipe encapsulation collar
- · customised design and larger DNs



Series 8003

Hydro Smart dedicated socket encapsulation Steel EPDM rubber DN80-250

Options:

· customised design



Series 748/01

Repair clamp Single band Stainless steel AISI 304 or AISI 316 NBR or EPDM rubber

Options:

handgrip



Series 748/02

Repair clamp Double band Stainless steel AISI 304 or AISI 316 NBR or EPDM rubber

Options:

handgrip



Series 748/03

Repair clamp Triple band Stainless steel AISI 304 or AISI 316 NBR or EPDM rubber



Series 712

Flanged bend Ductile iron

Options:

· various types



Series 712

Flanged cross Ductile iron

Options:

· various types



Series 712

Flanged reducer Ductile iron

Options:

· various lengths



Series 712

Reducer flange Ductile iron



Series 712

Duckfoot bend Ductile iron



Series 78/7510

Fountain post "VICTORIA" Frost-proof DN40 Grey cast iron

Options:

· outlet for fire hose connection









SMART WATER IOT SENSORS AND SOFTWARE



Series 3004/002

VIDI Positioner
Open/close position
indicator for AVK
extension spindles
Wireless
10-year battery life
NB-IoT or LoRa®
communication
IP68



Series 3004/101

VIDI Positioner
Open/close position
indicator for gate valves
Wireless
10-year battery life
NB-IoT or LoRa
communication
IP68



Series 3002/002

VIDI Cap
Hydrant cap detecting
open/close status
For threaded Storz B
outlet
Wireless
10-year battery life
NB-loT or LoRa®
communication
IPA8



Series 3001/001

VIDI Pressure Sensor measuring water pressure Wireless 10-year battery life NB-loT or LoRa® communication IP68 (transmitter)



Series 3001/002

VIDI Flow Sensor transmitting water flow Wireless 10-year battery life NB-IoT or LoRa® communication IP68 (transmitter)



Series 3001/004

VIDI Level Sensor measuring distance to nearest surface Wireless 10-year battery life NB-IoT or LoRa® communication IP68 (transmitter) IP67 (level sensor)



Series 3001/003

VIDI Temperature Sensor measuring water temperature Wireless 10-year battery life NB-IoT or LoRa® communication IP68 (transmitter)



Series 3004/001

VIDI Open/Close
Open/close position
indicator for AVK valves
Wireless
10-year battery life
NB-IoT or LoRa®
communication
IP68 (transmitter)



Series 3005/001

Outdoor LoRaWAN®gateway for series 3001, 3002 and 3004 SIM card Ethernet (RJ45)




Series 3005/002

VIDI software for collecting and visualising data Access through standard web browser Unlimited number of units and users

- VIDI Basic
- VIDI Advanced
- VIDI Premium



CONTACT AVK INTERNATIONAL A/S



AVK International A/S is responsible for the geographical region consisting of Continental Europe, Central Asian countries, Caucasian countries and Northern Africa as per the map above. Please contact us directly or find your local contact in the list.

For the countries marked with grey colour please refer to **www.avkvalves.com** for contact information.

AVK International A/S

Bizonvej 1, Skovby DK-8464 Galten Denmark Tel: +45 8754 2100 www.avkvalves.eu

AVK International A/S Rep. office the Baltic states

Ozolu str. 28, K 1, Jaunmarupe Marupe county, LV 2166 Latvia Tel: +371 256 219 95 jutr@avkgroup.com www.avkvalves.lv

AVK International A/S Rep. office Greece

L. Vouliagmenis 85 (City Plaza) 16674, Glyfada Athens, Greece Tel: +30 69 55 66 48 85 nisi@avkgroup.com www.avkvalves.gr

AVK International A/S Rep. office the Balkans

Marsala Tolbuhina 44 Belgrade Serbia Tel: +381 64 142 19 33 brmi@avkgroup.com www.avk.rs

AVK International A/S Rep. office Romania

B-dul Agronomiei No. 8-16, Bl. N1.3 Ap. 3, Sector 1 Bucharest Romania Tel: +40 21 326 5017 office@avk.ro www.avk.ro

AVK International A/S Rep. office Turkey

Ayazaga Mah., Dereboyu Cad. Meydan Sok. Veko Giz No:3/85 34398 Maslak / Sarıyer / İstanbul Turkey Tel.: +90 212 403 95 85 issi@avkgroup.com www.avkvana.com.tr

AVK International A/S Rep. office Slovakia

Vinne 136 072 31 Vinne Slovakia Tel: +421 907 682 815 antmak@avkgroup.com www.avkvalves.sk

AVK International A/S Rep. office North and West Africa

Cocody Danga Abidjan Ivory Coast Tel: +225 0704540595 guivio@avkgroup.com www.avkvalves.eu



AVK Danmark A/S

Bizonvej 1 DK-8464 Galten Denmark Tel: +45 8754 2100 salg@avk.dk www.avkventiler.dk

Vatech 2000 ApS

Værkstedsvej 15 5500 Middelfart Denmark Tel.: +45 6440 2060 admin@vatech.dk www.vatech.dk

AVK Norge AS

Hågasletta 7 3236 Sandefjord Norway Tel: +47 33482999 avk@avk.no www.avk.no

AVK Sverige AB

Industrigatan 28 28143 Hässleholm Sweden Tel: +46 451 458 00 sales@avkvalves.se www.avkvalves.se

AVK Finland Oy

Ilmailunkatu 21 SF-33900 Tampere Finland Tel: +358 3 389 1822 toimisto@avk.dk www.avkfinland.fi

AVK Armaturen GmbH

Schillerstraße 50 42489 Wülfrath Germany Tel.: +49 2058-901-01 info@avk-armaturen.de www.avk-armaturen.de

AVK Belgium NV

Zoomstraat 6A 9160 Lokeren Belgium Tel: +32 93481313 info@avkvalves.be www.avkvalves.be

AVK Nederland BV

Radeweg 12 P.O. Box 73 8170 AB Vaassen The Netherlands Tel: +31 57 857 44 90 info@avknederland.nl www.avknederland.nl

InterApp Ges.m.b.H.

Kolpingstrasse 19 A-1230 Wien Austria Tel: +43 (1) 61 623 71-0 info@at.interapp.net www.interapp.net

AC.MO S.R.L.

Via T. da Modena, 28 z.i. I-31056 Roncade (TV) Italy Tel: +39 0422 840220 info@acmospa.com www.acmosrl.com

AVK Armadan Sp. z o.o.

ul. Jakubowska 1 62-045 Pniewy Poland Tel: +48 61 291 20 01 avk@avk.com.pl www.avk.com.pl

AVK VOD-KA a.s.

Labská 233/11 412 01 Litoměřice, Předměstí Czech Republic Tel: +420 416 734 980 obchod@vodka.cz www.avkvodka.cz

AVK France S.A.S.

Z.I. de Villebarou 4 rue de la Garbotière CS 2904 41029 Blois Cedex France Tel: +33 2 54 74 23 13 avk@avk.fr www.avk.fr

AVK Válvulas S.A.

Pol. Ind. Constantí Av. Europa, 27-31 43120 Constantí - Tarragona Spain Tel: +34 977 543 008 avk@avkvalvulas.com www.avkvalvulas.com

AVK Magyarország Kft.

Váci str. 91. / A. building 2nd floor 1139 Budapest Hungary Tel: +36 30/987 14 75 tbed@avkgroup.com www.avkyalves.hu

AVK International A/SBizonvej 1

Bizonvej 1 Skovby 8464 Galten Denmark Tel::/+45/8754/2100/ www.avkyalves.eu/

2025,07,01 © 2025,AVK Group A/S/- tev. 4

